

INDOOR TECHNICAL LIGHTING

PRICE LIST
SEPTEMBER 2024



CREST
SERIES



About Litomatic

Established in 1992 as Kardhar Electric Co., Litomatic has grown into a leading name in the lighting industry. With Raj Kothari joining in 2011 and supported by Ashish Kothari's expertise, Litomatic expanded by importing lighting goods from China in 2013. Formally founded in 2016, Litomatic swiftly pioneered remote-controlled tunable and dimmable lighting in India, ensuring superior products through extensive testing in Udaipur. Litomatic also boasts a well-equipped in-house lab that supports its manufacturing processes, enhancing reliability and delivering complete lighting solutions without needing external consultants or service providers. Participation in key exhibitions from 2017 to 2019 bolstered its reputation, leading to a state-of-the-art manufacturing facility.

Guided by in-house R&D, Litomatic's advanced LED and COB technology ensures precision and efficiency. The brand's commitment to the 'Make in India' initiative and over 300+ dies and moulds reflect its dedication to innovation and quality. With a network of over 300 partners across 110+ cities, Litomatic continues to revolutionise spaces with exceptional yet economical lighting solutions. Litomatic stands as a beacon of excellence, poised to illuminate the future.

CERTIFIED



ABOUT CREST SERIES




CREST
SERIES

Design-Forward Lighting For Vibrant Spaces

Litomatic's Crest Lighting Series—a refined selection crafted to redefine commercial environments with exceptional elegance and innovation. This series transcends conventional design standards, offering a sophisticated aesthetic that enhances architectural vision. Equipped with premium drivers, each fixture in the Crest Series offers superior energy efficiency, flicker free illumination, and an extended lifespan, ensuring consistent performance and reliability. These products also feature glare-reduction technology, enhancing visual comfort and usability. The Crest Series seamlessly integrates form and function, elevating the ambience of any space while supporting sustainability and durability.



RF 2.4G + BLE



Divine



Watt : 12w Round Downlight

Dimension : 120 X 50 mm

Cut Out : 110 mm

Beam Angle : 110°

Type	List Price
CCT & Dim RF	1450/-
CCT & Dim RF+BLE V5	1600/-
Single Color	760/-
Single Color Triac Dim	1250/-
CCT & Dim Triac	2100/-
Single Color Dim (DT6 Euchips/Lifud)	2350/-
CCT & Dim (DT8 Euchips/Lifud)	3000/-

Divine



Watt : 18w Round Downlight

Dimension : 155 X 55 mm

Cut Out : 145 mm

Beam Angle : 110°

Type	List Price
CCT & Dim RF	2100/-
CCT & Dim RF+BLE V5	2250/-
Single Color	1050/-
Single Color Triac Dim	1750/-
CCT & Dim Triac	3050/-
Single Color Dim (DT6 Euchips/Lifud)	3050/-
CCT & Dim (DT8 Euchips/Lifud)	3600/-

Divine



Watt : 24w Round Downlight

Dimension : 175 X 55 mm

Cut Out : 165 mm

Beam Angle : 110°

Type	List Price
CCT & Dim RF	2300/-
CCT & Dim RF+BLE V5	2450/-
Single Color	1200/-
Single Color Triac Dim	1950/-
CCT & Dim Triac	3200/-
Single Color Dim (DT6 Euchips/Lifud)	3200/-
CCT & Dim (DT8 Euchips/Lifud)	3800/-

Divine



Watt : 12w Square Downlight

Dimension : 110 X 110 X 50 mm

Cut Out : 100 X 100 mm

Beam Angle : 110°

Type	List Price
CCT & Dim RF	1450/-
CCT & Dim RF+BLE V5	1600/-
Single Color	760/-
Single Color Triac Dim	1250/-
CCT & Dim Triac	2100/-
Single Color Dim (DT6 Euchips/Lifud)	2350/-
CCT & Dim (DT8 Euchips/Lifud)	3000/-

Divine



Watt : 18w Square Downlight

Dimension : 145 X 145 X 55 mm

Cut Out : 135 X 135 mm

Beam Angle : 110°

Type	List Price
CCT & Dim RF	2100/-
CCT & Dim RF+BLE V5	2250/-
Single Color	1050/-
Single Color Triac Dim	1750/-
CCT & Dim Triac	3050/-
Single Color Dim (DT6 Euchips/Lifud)	3050/-
CCT & Dim (DT8 Euchips/Lifud)	3600/-

Grace



Watt : 12w Round Downlight

Dimension : 90 X 56 mm

Cut Out : 85 mm

Beam Angle : 100°

Type	List Price
CCT & Dim RF	1450/-
CCT & Dim RF+BLE V5	1600/-
Single Color	800/-
Single Color Triac Dim	1250/-
CCT & Dim Triac	2050/-
Single Color Dim (DT6 Euchips/Lifud)	2350/-
CCT & Dim (DT8 Euchips/Lifud)	3000/-

Grace



Watt : 18w Round Downlight

Dimension : 100 X 56 mm

Cut Out : 95 mm

Beam Angle : 100°

Type	List Price
CCT & Dim RF	1900/-
CCT & Dim RF+BLE V5	2100/-
Single Color	950/-
Single Color Triac Dim	1600/-
CCT & Dim Triac	2900/-
Single Color Dim (DT6 Euchips/Lifud)	2900/-
CCT & Dim (DT8 Euchips/Lifud)	3450/-

Grace



Watt : 24w Round Downlight

Dimension : 125 X 56 mm

Cut Out : 115 mm

Beam Angle : 100°

Type	List Price
CCT & Dim RF	2100/-
CCT & Dim RF+BLE V5	2250/-
Single Color	1100/-
Single Color Triac Dim	1850/-
CCT & Dim Triac	3100/-
Single Color Dim (DT6 Euchips/Lifud)	3100/-
CCT & Dim (DT8 Euchips/Lifud)	3600/-

Aqua



Watt : 12w Round Downlight

Dimension : 110 X 22 mm

Cut Out : 100 mm

Beam Angle : 120°

Type	List Price
CCT & Dim RF	1400/-
CCT & Dim RF+BLE V5	1550/-
Single Color	700/-
Single Color Triac Dim	1150/-
CCT & Dim Triac	2000/-
Single Color Dim (DT6 Euchips/Lifud)	2250/-
CCT & Dim (DT8 Euchips/Lifud)	2950/-

Aqua



Watt : 18w Round Downlight

Dimension : 130 X 22 mm

Cut Out : 120 mm

Beam Angle : 120°

Type	List Price
CCT & Dim RF	1900/-
CCT & Dim RF+BLE V5	2100/-
Single Color	900/-
Single Color Triac Dim	1600/-
CCT & Dim Triac	2900/-
Single Color Dim (DT6 Euchips/Lifud)	2900/-
CCT & Dim (DT8 Euchips/Lifud)	3450/-

Aqua



Watt : 24w Round Downlight

Dimension : 160 X 22 mm

Cut Out : 145 mm

Beam Angle : 120°

Type	List Price
CCT & Dim RF	2100/-
CCT & Dim RF+BLE V5	2250/-
Single Color	1050/-
Single Color Triac Dim	1800/-
CCT & Dim Triac	3050/-
Single Color Dim (DT6 Euchips/Lifud)	3050/-
CCT & Dim (DT8 Euchips/Lifud)	3600/-

Aqua



Watt : 12w Square Downlight

Dimension : 110 X 110 X 22 mm

Cut Out : 100 X 100 mm

Beam Angle : 120°

Type	List Price
CCT & Dim RF	1400/-
CCT & Dim RF+BLE V5	1550/-
Single Color	700/-
Single Color Triac Dim	1150/-
CCT & Dim Triac	2000/-
Single Color Dim (DT6 Euchips/Lifud)	2250/-
CCT & Dim (DT8 Euchips/Lifud)	2950/-

Aqua



Watt : 18w Square Downlight


Dimension : 130 X 130 X 22 mm

Cut Out : 120 X 120 mm

Beam Angle : 120°

Type	List Price
CCT & Dim RF	1900/-
CCT & Dim RF+BLE V5	2100/-
Single Color	900/-
Single Color Triac Dim	1600/-
CCT & Dim Triac	2900/-
Single Color Dim (DT6 Euchips/Lifud)	2900/-
CCT & Dim (DT8 Euchips/Lifud)	3450/-

Aqua



Watt : 24w Square Downlight

Dimension : 160 X 160 X 22 mm

Cut Out : 145 X 145 mm

Beam Angle : 120°

Type	List Price
CCT & Dim RF	2100/-
CCT & Dim RF+BLE V5	2250/-
Single Color	1050/-
Single Color Triac Dim	1800/-
CCT & Dim Triac	3050/-
Single Color Dim (DT6 Euchips/Lifud)	3050/-
CCT & Dim (DT8 Euchips/Lifud)	3600/-

Delight



Watt : 6w Round Downlight

Dimension : 85 X 30 mm

Cut Out : 75 mm

Beam Angle : 110°

Type	List Price
CCT & Dim RF	1200/-
CCT & Dim RF+BLE V5	1350/-
Single Color	550/-
Single Color Triac Dim	1200/-
CCT & Dim Triac	1800/-
Single Color Dim (DT6 Euchips/Lifud)	2100/-
CCT & Dim (DT8 Euchips/Lifud)	2700/-

Delight



Watt : 12w Round Downlight

Dimension : 110 X 30 mm

Cut Out : 100 mm

Beam Angle : 110°

Type	List Price
CCT & Dim RF	1300/-
CCT & Dim RF+BLE V5	1450/-
Single Color	650/-
Single Color Triac Dim	1050/-
CCT & Dim Triac	1950/-
Single Color Dim (DT6 Euchips/Lifud)	2200/-
CCT & Dim (DT8 Euchips/Lifud)	2850/-

Delight



Watt : 18w Round Downlight

Dimension : 155 X 30 mm

Cut Out : 145 mm

Beam Angle : 110°

Type	List Price
CCT & Dim RF	1950/-
CCT & Dim RF+BLE V5	2100/-
Single Color	900/-
Single Color Triac Dim	1550/-
CCT & Dim Triac	2900/-
Single Color Dim (DT6 Euchips/Lifud)	2850/-
CCT & Dim (DT8 Euchips/Lifud)	3450/-

NEW
ARRIVAL

Accord



Available from 1st OCT

Watt : 12w Round Downlight

Dimension : 115 X 30 mm

Cut Out : 105 mm

Beam Angle : 110°

Type	List Price
CCT & Dim RF	1350/-
CCT & Dim RF+BLE V5	1500/-
Single Color	700/-
Single Color Triac Dim	1100/-
CCT & Dim Triac	1950/-
Single Color Dim (DT6 Euchips/Lifud)	2250/-
CCT & Dim (DT8 Euchips/Lifud)	2900/-

NEW
ARRIVAL

Accord



Available from 1st OCT

Watt : 18w Round Downlight

Dimension : 155 X 30 mm

Cut Out : 145 mm

Beam Angle : 110°

Type	List Price
CCT & Dim RF	1950/-
CCT & Dim RF+BLE V5	2100/-
Single Color	900/-
Single Color Triac Dim	1600/-
CCT & Dim Triac	2950/-
Single Color Dim (DT6 Euchips/Lifud)	2900/-
CCT & Dim (DT8 Euchips/Lifud)	3450/-

NEW
ARRIVAL

Accord



Available from 1st OCT

Watt : 24w Round Downlight

Dimension : 180 X 30 mm

Cut Out : 170 mm

Beam Angle : 110°

Type	List Price
CCT & Dim RF	2150/-
CCT & Dim RF+BLE V5	2350/-
Single Color	1100/-
Single Color Triac Dim	1850/-
CCT & Dim Triac	3150/-
Single Color Dim (DT6 Euchips/Lifud)	3100/-
CCT & Dim (DT8 Euchips/Lifud)	3700/-



Watt : 12w Round Movable Downlight

Dimension : 110 X 45 mm (55mm After Moving)

Cut Out : 95 mm

Beam Angle : 110°

Type	List Price
CCT & Dim RF	1500/-
CCT & Dim RF+BLE V5	1650/-
Single Color	850/-
Single Color Triac Dim	1200/-
CCT & Dim Triac	2100/-
Single Color Dim (DT6 Euchips/Lifud)	2400/-
CCT & Dim (DT8 Euchips/Lifud)	3100/-

NEW
ARRIVAL

Wisdom



Available from 10th OCT

Watt : 12w Round Slim Surface Downlight

Dimension : 100 X 36 mm

Cut Out : -

Beam Angle : 120°

Type	List Price
Single Color	750/-

NEW
ARRIVAL

Wisdom



Available from 10th OCT

Watt : 18w Round Slim Surface Downlight

Dimension : 125 X 38 mm


Cut Out : -

Beam Angle : 120°

Type	List Price
Single Color	1050/-

NEW
ARRIVAL

Wisdom



Available from 10th OCT

Watt : 24w Round Slim Surface Downlight


Dimension : 150 X 38 mm

Cut Out : -

Beam Angle : 120°

Type	List Price
Single Color	1300/-

Ignite



Watt : 8w Round Surface Downlight


Dimension : 90 X 75 mm

Cut Out : -

Beam Angle : 110°

Type	List Price
CCT & Dim RF	1700/-
CCT & Dim RF+BLE V5	1850/-
Single Color	850/-

Ignite



Watt : 15w Round Surface Downlight


Dimension : 110 X 75 mm

Cut Out : -

Beam Angle : 110°

Type	List Price
CCT & Dim RF	1900/-
CCT & Dim RF+BLE V5	2050/-
Single Color	1100/-

Ignite



Watt : 22w Round Surface Downlight


Dimension : 125 X 75 mm

Cut Out : -

Beam Angle : 110°

Type	List Price
CCT & Dim RF	2250/-
CCT & Dim RF+BLE V5	2400/-
Single Color	1250/-

Cruise



Watt : 7w Round Spotlight


Dimension : 70 X 65 mm

Cut Out : 60 mm

Beam Angle : 15/24/36/55°

Type	List Price
CCT & Dim RF	1450/-
CCT & Dim RF+BLE V5	1600/-
Single Color	750/-
Single Color Triac Dim	1200/-
CCT & Dim Triac	2050/-
Single Color Dim (DT6 Euchips/Lifud)	2350/-
CCT & Dim (DT8 Euchips/Lifud)	3000/-

Cruise



Watt : 12/15w Round Spotlight


Dimension : 85 X 75 mm

Cut Out : 75 mm

Beam Angle : 15/24/36/55°

Type	List Price
CCT & Dim RF	1600/- 1700/-
CCT & Dim RF+BLE V5	1750/- 1850/-
Single Color	870/- 950/-
Single Color Triac Dim	1350/- 1450/-
CCT & Dim Triac	2200/- 2350/-
Single Color Dim (DT6 Euchips/Lifud)	2500/- 2600/-
CCT & Dim (DT8 Euchips/Lifud)	3150/- 3500/-

Cruise



Watt : 20/25w Round Spotlight

Dimension : 95 X 90 mm

Cut Out : 85 mm

Beam Angle : 24/36/55°

Type	List Price
CCT & Dim RF	2350/- 2500/-
CCT & Dim RF+BLE V5	2500/- 2650/-
Single Color	1350/- 1500/-
Single Color Triac Dim	2100/- 2250/-
CCT & Dim Triac	3350/- 3500/-
Single Color Dim (DT6 Euchips/Lifud)	3350/- 3500/-
CCT & Dim (DT8 Euchips/Lifud)	3850/- 4000/-

Cruise



Watt : 30/36w Round Spotlight

Dimension : 115 X 105 mm

Cut Out : 105 mm

Beam Angle : 24/36/55°

Type	List Price
CCT & Dim RF	2800/- 3250/-
CCT & Dim RF+BLE V5	3050/- 3850/-
Single Color	1850/- 2000/-
Single Color Triac Dim	2850/-
CCT & Dim Triac	3800/-
Single Color Dim (DT6 Euchips/Lifud)	3700/-
CCT & Dim (DT8 Euchips/Lifud)	4400/-

Duke



Watt : 7w Round Spotlight

Dimension : 70 X 58 mm

Cut Out : 60 mm

Beam Angle : 15/24/36/55°

Type	List Price
CCT & Dim RF	1450/-
CCT & Dim RF+BLE V5	1600/-
Single Color	750/-
Single Color Triac Dim	1200/-
CCT & Dim Triac	2050/-
Single Color Dim (DT6 Euchips/Lifud)	2350/-
CCT & Dim (DT8 Euchips/Lifud)	3000/-

Duke



Watt : 12/15w Round Spotlight

Dimension : 85 X 65 mm

Cut Out : 75 mm

Beam Angle : 15/24/36/55°

Type	List Price
CCT & Dim RF	1600/- 1700/-
CCT & Dim RF+BLE V5	1750/- 1850/-
Single Color	870/- 950/-
Single Color Triac Dim	1350/- 1450/-
CCT & Dim Triac	2200/- 2350/-
Single Color Dim (DT6 Euchips/Lifud)	2500/- 2600/-
CCT & Dim (DT8 Euchips/Lifud)	3150/- 3500/-

Duke



Watt : 20/25w Round Spotlight

Dimension : 98 X 84 mm

Cut Out : 85 mm

Beam Angle : 24/36/55°

Type	List Price
CCT & Dim RF	2350/- 2500/-
CCT & Dim RF+BLE V5	2500/- 2650/-
Single Color	1350/- 1500/-
Single Color Triac Dim	2100/- 2250/-
CCT & Dim Triac	3350/- 3500/-
Single Color Dim (DT6 Euchips/Lifud)	3350/- 3500/-
CCT & Dim (DT8 Euchips/Lifud)	3850/- 4000/-

Exotic



Watt : 7w Round Spotlight

Dimension : 75 X 70 mm

Cut Out : 65 mm

Beam Angle : 15/24/36/55°

Type	List Price
CCT & Dim RF	1550/-
CCT & Dim RF+BLE V5	1700/-
Single Color	850/-
Single Color Triac Dim	1300/-
CCT & Dim Triac	2150/-
Single Color Dim (DT6 Euchips/Lifud)	2450/-
CCT & Dim (DT8 Euchips/Lifud)	3100/-

Exotic



Watt : 12/15w Round Spotlight

Dimension : 85 X 80 mm

Cut Out : 75 mm

Beam Angle : 15/24/36/55°

Type	List Price
CCT & Dim RF	1700/- 1850/-
CCT & Dim RF+BLE V5	1850/- 2000/-
Single Color	1050/- 1150/-
Single Color Triac Dim	1450/- 1600/-
CCT & Dim Triac	2350/- 2450/-
Single Color Dim (DT6 Euchips/Lifud)	2600/- 2750/-
CCT & Dim (DT8 Euchips/Lifud)	3250/- 3650/-

**NEW
ARRIVAL**

Exotic



Available from 1st NOV



Watt : 20/25w Round Spotlight

Dimension : 100 X 95 mm

Cut Out : 90 mm

Beam Angle : 24/36/55°

Type	List Price
CCT & Dim RF	2550/- 2650/-
CCT & Dim RF+BLE V5	2700/- 2850/-
Single Color	1550/- 1650/-
Single Color Triac Dim	2300/- 2400/-
CCT & Dim Triac	3550/- 3650/-
Single Color Dim (DT6 Euchips/Lifud)	3600/- 3700/-
CCT & Dim (DT8 Euchips/Lifud)	4100/- 4250/-

Curve



Watt : 7w Round Movable Spotlight


Dimension : 78 X 65 mm

Cut Out : 72 mm

Beam Angle : 15/24/36/55°

Type	List Price
CCT & Dim RF	1550/-
CCT & Dim RF+BLE V5	1700/-
Single Color	850/-
Single Color Triac Dim	1300/-
CCT & Dim Triac	2150/-
Single Color Dim (DT6 Euchips/Lifud)	2450/-
CCT & Dim (DT8 Euchips/Lifud)	3100/-

Curve



Watt : 12/15w Round Movable Spotlight

Dimension : 88 X 75 mm (80mm after moving)

Cut Out : 80 mm

Beam Angle : 15/24/36/55°

Type	List Price
CCT & Dim RF	1700/- 1850/-
CCT & Dim RF+BLE V5	1850/- 2000/-
Single Color	1050/- 1150/-
Single Color Triac Dim	1450/- 1600/-
CCT & Dim Triac	2350/- 2500/-
Single Color Dim (DT6 Euchips/Lifud)	2600/- 2750/-
CCT & Dim (DT8 Euchips/Lifud)	3250/- 3650/-

Curve



Watt : 20/25w Round Movable Spotlight

Dimension : 100 X 86 mm

Cut Out : 93 mm

Beam Angle : 24/36/55°

Type	List Price
CCT & Dim RF	2450/- 2600/-
CCT & Dim RF+BLE V5	2600/- 2750/-
Single Color	1450/- 1600/-
Single Color Triac Dim	2150/- 2300/-
CCT & Dim Triac	3450/- 3600/-
Single Color Dim (DT6 Euchips/Lifud)	3500/- 3600/-
CCT & Dim (DT8 Euchips/Lifud)	4000/- 4100/-

Curve



Watt : 30/36w Round Movable Spotlight


Dimension : 120 X 101 mm

Cut Out : 113 mm

Beam Angle : 24/36/55°

Type	List Price
CCT & Dim RF	2950/- 3350/-
CCT & Dim RF+BLE V5	3200/- 3950/-
Single Color	2000/- 2150/-
Single Color Triac Dim	3000/-
CCT & Dim Triac	3950/-
Single Color Dim (DT6 Euchips/Lifud)	3900/-
CCT & Dim (DT8 Euchips/Lifud)	4500/-

Blast



Watt : 7w Round Spotlight

Dimension : 60 X 48 mm

Cut Out : 52 mm

Beam Angle : 15/24/36/55°

Type	List Price
CCT & Dim RF	1450/-
CCT & Dim RF+BLE V5	1600/-
Single Color	750/-
Single Color Triac Dim	1200/-
CCT & Dim Triac	2050/-
Single Color Dim (DT6 Euchips/Lifud)	2350/-
CCT & Dim (DT8 Euchips/Lifud)	3000/-

**NEW
ARRIVAL**

Blast



Watt : 12/15w Round Spotlight

Dimension : 70 X 51 mm


Cut Out : 60 mm

Beam Angle : 15/24/36/55°

Type	List Price
CCT & Dim RF	1600/- 1700/-
CCT & Dim RF+BLE V5	1750/- 1850/-
Single Color	870/- 950/-
Single Color Triac Dim	1350/- 1450/-
CCT & Dim Triac	2200/- 2350/-
Single Color Dim (DT6 Euchips/Lifud)	2500/- 2600/-
CCT & Dim (DT8 Euchips/Lifud)	3150/- 3500/-

**NEW
ARRIVAL**

Blast



Watt : 20/25w Round Spotlight

Dimension : 80 X 65 mm

Cut Out : 70 mm

Beam Angle : 24/36/55°

Type	List Price
CCT & Dim RF	2350/- 2500/-
CCT & Dim RF+BLE V5	2500/- 2650/-
Single Color	1350/- 1500/-
Single Color Triac Dim	2100/- 2250/-
CCT & Dim Triac	3350/- 3500/-
Single Color Dim (DT6 Euchips/Lifud)	3350/- 3500/-
CCT & Dim (DT8 Euchips/Lifud)	3850/- 4000/-

**NEW
ARRIVAL**

Blast



Watt : 30/36w Round Spotlight

Dimension : 105 X 77 mm

Cut Out : 90 mm

Beam Angle : 24/36/55°

Type	List Price
CCT & Dim RF	2800/- 3250/-
CCT & Dim RF+BLE V5	3050/- 3850/-
Single Color	1850/- 2000/-
Single Color Triac Dim	2850/-
CCT & Dim Triac	3800/-
Single Color Dim (DT6 Euchips/Lifud)	3700/-
CCT & Dim (DT8 Euchips/Lifud)	4400/-

Hector



Watt : 12/15w Round Spotlight

Dimension : 90 X 95 mm

Cut Out : 80 mm

Beam Angle : 15/24/36/55°

Type	List Price
CCT & Dim RF	1650/- 1750/-
CCT & Dim RF+BLE V5	1800/- 1900/-
Single Color	1000/- 1100/-
Single Color Triac Dim	1400/- 1500/-
CCT & Dim Triac	2300/- 2400/-
Single Color Dim (DT6 Euchips/Lifud)	2550/- 2650/-
CCT & Dim (DT8 Euchips/Lifud)	3200/- 3600/-

Harrier



Watt : 12/15w Round Spotlight

Dimension : 85 X 85 mm

Cut Out : 75 mm

Beam Angle : 15/24/36/55°

Type	List Price
CCT & Dim RF	1650/- 1750/-
CCT & Dim RF+BLE V5	1800/- 1900/-
Single Color	1000/- 1100/-
Single Color Triac Dim	1400/- 1500/-
CCT & Dim Triac	2300/- 2400/-
Single Color Dim (DT6 Euchips/Lifud)	2550/- 2650/-
CCT & Dim (DT8 Euchips/Lifud)	3200/- 3600/-

Compass



Watt : 7w Round Spotlight

Dimension : 60 X 80 mm

Cut Out : 53 mm

Beam Angle : 15/24/36/55°

Type	List Price
CCT & Dim RF	1450/-
CCT & Dim RF+BLE V5	1600/-
Single Color	800/-
Single Color Triac Dim	1250/-
CCT & Dim Triac	2100/-
Single Color Dim (DT6 Euchips/Lifud)	2400/-
CCT & Dim (DT8 Euchips/Lifud)	3000/-

Compass



Watt : 12/15w Round Spotlight

Dimension : 70 X 95 mm

Cut Out : 62 mm

Beam Angle : 15/24/36/55°

Type	List Price
CCT & Dim RF	1650/- 1750/-
CCT & Dim RF+BLE V5	1800/- 1900/-
Single Color	1000/- 1100/-
Single Color Triac Dim	1400/- 1500/-
CCT & Dim Triac	2300/- 2400/-
Single Color Dim (DT6 Euchips/Lifud)	2550/- 2650/-
CCT & Dim (DT8 Euchips/Lifud)	3200/- 3600/-

Compass



Watt : 20/25w Round Spotlight

Dimension : 85 X 118 mm

Cut Out : 75 mm

Beam Angle : 24/36/55°

Type	List Price
CCT & Dim RF	2450/- 2600/-
CCT & Dim RF+BLE V5	2600/- 2750/-
Single Color	1400/- 1550/-
Single Color Triac Dim	2200/- 2300/-
CCT & Dim Triac	3450/- 3600/-
Single Color Dim (DT6 Euchips/Lifud)	3500/- 3600/-
CCT & Dim (DT8 Euchips/Lifud)	4000/- 4200/-

Trump



Watt : 12/15w Square Spotlight

Dimension : 83 X 83 X 83 mm

Cut Out : 77 X 77 mm

Beam Angle : 15/24/36/55°

Type	List Price
CCT & Dim RF	1600/- 1750/-
CCT & Dim RF+BLE V5	1750/- 1900/-
Single Color	950/- 1050/-
Single Color Triac Dim	1350/- 1500/-
CCT & Dim Triac	2250/- 2350/-
Single Color Dim (DT6 Euchips/Lifud)	2500/- 2650/-
CCT & Dim (DT8 Euchips/Lifud)	3150/- 3550/-

Trump



Watt : 2X12/2X15w Square Spotlight

Dimension : 162 X 83 X 83 mm

Cut Out : 155 X 77 mm

Beam Angle : 15/24/36/55°

Type	List Price
CCT & Dim RF	3200/- 3400/-
CCT & Dim RF+BLE V5	3500/- 3700/-
Single Color	1850/- 2000/-
Single Color Triac Dim	2700/- 2800/-
CCT & Dim Triac	4400/- 4600/-
Single Color Dim (DT6 Euchips/Lifud)	4950/- 5100/-
CCT & Dim (DT8 Euchips/Lifud)	6250/- 6800/-

Passion



Watt : 7w Round Spotlight

Dimension : 80 X 54 mm

Cut Out : 68 mm

Beam Angle : 15/24/36/55°

Type	List Price
CCT & Dim RF	1550/-
CCT & Dim RF+BLE V5	1700/-
Single Color	850/-
Single Color Triac Dim	1300/-
CCT & Dim Triac	2150/-
Single Color Dim (DT6 Euchips/Lifud)	2450/-
CCT & Dim (DT8 Euchips/Lifud)	3050/-

Passion



Watt : 12/15w Round Spotlight

Dimension : 108 X 70 mm

Cut Out : 95 mm

Beam Angle : 15/24/36/55°

Type	List Price
CCT & Dim RF	1700/- 1850/-
CCT & Dim RF+BLE V5	1850/- 1950/-
Single Color	1050/- 1150/-
Single Color Triac Dim	1450/- 1600/-
CCT & Dim Triac	2350/- 2450/-
Single Color Dim (DT6 Euchips/Lifud)	2600/- 2750/-
CCT & Dim (DT8 Euchips/Lifud)	3250/- 3650/-

Arc



Watt : 12/15w Round Spotlight


Dimension : 72 X 75 mm

Cut Out : 65 mm

Beam Angle : 15/24/36/55°

Type	List Price
CCT & Dim RF	1650/- 1750/-
CCT & Dim RF+BLE V5	1800/- 1900/-
Single Color	1000/- 1100/-
Single Color Triac Dim	1400/- 1500/-
CCT & Dim Triac	2300/- 2400/-
Single Color Dim (DT6 Euchips/Lifud)	2500/- 2600/-
CCT & Dim (DT8 Euchips/Lifud)	3200/- 3600/-

Eye



Watt : 7w Round Spotlight

Dimension : 65 X 60 mm

Cut Out : 55 mm

Beam Angle : 15/24/36/55°

Type	List Price
CCT & Dim RF	1450/-
CCT & Dim RF+BLE V5	1600/-
Single Color	800/-
Single Color Triac Dim	1250/-
CCT & Dim Triac	2100/-
Single Color Dim (DT6 Euchips/Lifud)	2400/-
CCT & Dim (DT8 Euchips/Lifud)	3000/-

NEW
ARRIVAL

Stylo



Available from 10th OCT

Watt : 12w Round Spotlight

Dimension : 85 X 49 mm

Cut Out : 75 mm

Beam Angle : 38°

Type	List Price
CCT & Dim RF	1700/-
CCT & Dim RF+BLE V5	1850/-
Single Color	1050/-
Single Color Triac Dim	1500/-
CCT & Dim Triac	2300/-
Single Color Dim (DT6 Euchips/Lifud)	2550/-
CCT & Dim (DT8 Euchips/Lifud)	3150/-

NEW
ARRIVAL

Duster



Available from 1st OCT

Watt : 7w Round Spotlight

Dimension : 63 X 28 mm

Cut Out : 55 mm

Beam Angle : 36/60°

Type	List Price
CCT & Dim RF	1400/-
CCT & Dim RF+BLE V5	1550/-
Single Color	720/-
Single Color Triac Dim	1150/-
CCT & Dim Triac	2050/-
Single Color Dim (DT6 Euchips/Lifud)	2300/-
CCT & Dim (DT8 Euchips/Lifud)	2950/-

NEW
ARRIVAL

Duster



Available from 1st OCT

Watt : 12w Round Spotlight

Dimension : 73 X 28 mm

Cut Out : 65 mm

Beam Angle : 36/60°

Type	List Price
CCT & Dim RF	1550/-
CCT & Dim RF+BLE V5	1700/-
Single Color	850/-
Single Color Triac Dim	1300/-
CCT & Dim Triac	2150/-
Single Color Dim (DT6 Euchips/Lifud)	2450/-
CCT & Dim (DT8 Euchips/Lifud)	3100/-

Boost



Watt : 5w Round Spotlight

Dimension : 40 X 58 mm

Cut Out : 35 mm

Beam Angle : 24/36°

Type	List Price
CCT Adj & Dim RF	1500/-
CCT & Dim RF+BLE V5	1650/-
Single Color	750/-

Boost



Watt : 7/12w Round Spotlight

Dimension : 60 X 88 mm

Cut Out : 52 mm

Beam Angle : 24/36/55°

Type	List Price
CCT & Dim RF	1600/- 1700/-
CCT & Dim RF+BLE V5	1750/- 1850/-
Single Color	850/- 950/-
Single Color Triac Dim	1300/- 1400/-
CCT & Dim Triac	2150/- 2250/-
Single Color Dim (DT6 Euchips/Lifud)	2400/- 2500/-
CCT & Dim (DT8 Euchips/Lifud)	3050/- 3150/-

Iris



Watt : 7/12w Round Movable Spotlight

Dimension : 90 X 92 mm

Cut Out : 82 mm

Beam Angle : 24/36/55°

Type	List Price
CCT & Dim RF	2000/- 2100/-
CCT & Dim RF+BLE V5	2150/- 2250/-
Single Color	1300/- 1400/-
Single Color Triac Dim	1700/- 1800/-
CCT & Dim Triac	2600/- 2700/-
Single Color Dim (DT6 Euchips/Lifud)	2900/- 3000/-
CCT & Dim (DT8 Euchips/Lifud)	3550/- 3650/-

NEW
ARRIVAL

Twist



Watt : 12/15w Round Trimless Spotlight

Dimension : 82 X 80 mm

Cut Out : 82mm

Beam Angle : 15/24/36/55°

Type	List Price
CCT & Dim RF	1900/- 2050/-
CCT & Dim RF+BLE V5	2050/- 2250/-
Single Color	1300/- 1400/-
Single Color Triac Dim	1650/- 1750/-
CCT & Dim Triac	2550/- 2700/-
Single Color Dim (DT6 Euchips/Lifud)	2800/- 2950/-
CCT & Dim (DT8 Euchips/Lifud)	3450/- 3850/-

NEW
ARRIVAL

Geo



Watt : 12w MR-16 Module

Dimension : 130 X 45 mm

Cut Out : - 130 X 130 mm

Beam Angle : 15/24/36/55°

Type	List Price
MR-16 Module	580/-

NEW
ARRIVAL

Fly



Watt : 12w MR-16 Module

Dimension : 120 X 120 X 44 mm

Cut Out : - 120 X 120 mm

Beam Angle : 15/24/36/55°

Type	List Price
MR-16 Module	580/-

NEW
ARRIVAL

Binge



Watt : 12w MR-16 Module

Dimension : 120 X 120 X 65 mm

Cut Out : - 120 X 120 mm

Beam Angle : 15/24/36/55°

Type	List Price
MR-16 Module	650/-

NEW
ARRIVAL

Vision



Watt : 12/15w MR-16 Module

Dimension : 49.8 X 75 mm

Cut Out : -

Beam Angle : 15/24/36/55°

Type	List Price
CCT & Dim RF	1600/- 1700/-
CCT & Dim RF+BLE V5	1750/- 1900/-
Single Color	950/- 1050/-
Single Color Triac Dim	1350/- 1450/-
CCT & Dim Triac	2250/- 2350/-
Single Color Dim (DT6 Euchips/Lifud)	2500/- 2650/-
CCT & Dim (DT8 Euchips/Lifud)	3150/- 3500/-



Watt : 12w Round Wall Washer

Dimension : 85 X 70 mm

Cut Out : 70 mm

Beam Angle : 60°

Type	List Price
CCT & Dim RF	1900/-
CCT & Dim RF+BLE V5	2050/-
Single Color	1250/-
Single Color Triac Dim	1600/-
CCT & Dim Triac	2600/-
Single Color Dim (DT6 Euchips/Lifud)	2800/-
CCT & Dim (DT8 Euchips/Lifud)	3450/-



Watt : 20w Round Wall Washer

Dimension : 108 X 86 mm


Cut Out : 90 mm

Beam Angle : 60°

Type	List Price
CCT & Dim RF	2750/-
CCT & Dim RF+BLE V5	2900/-
Single Color	1750/-
Single Color Triac Dim	2500/-
CCT & Dim Triac	3800/-
Single Color Dim (DT6 Euchips/Lifud)	3800/-
CCT & Dim (DT8 Euchips/Lifud)	4300/-

NEW
ARRIVAL

Flash



Watt : 12w Round Wallwasher

Dimension : 64 X 71 mm

Cut Out : - 53 mm

Beam Angle : 15/24/36/55°

Type	List Price
CCT & Dim RF	2250/-
CCT & Dim RF+BLE V5	2400/-
Single Color	1600/-
Single Color Triac Dim	2000/-
CCT & Dim Triac	2800/-
Single Color Dim (DT6 Euchips/Lifud)	3150/-
CCT & Dim (DT8 Euchips/Lifud)	3750/-



Watt : 7w Round Surface Spotlight

Dimension : 56 X 75 mm

Cut Out : -

Beam Angle : 15/24/36/55°

Type	List Price
CCT & Dim RF	1700/-
CCT & Dim RF+BLE V5	1850/-
Single Color	850/-



Watt : 12w Round Surface Spotlight

Dimension : 65 X 85 mm

Cut Out : -

Beam Angle : 15/24/36/55°

Type	List Price
CCT & Dim RF	1900/-
CCT & Dim RF+BLE V5	2050/-
Single Color	1050/-

Desire



Watt : 20w Round Surface Spotlight


Dimension : 70 X 95 mm

Cut Out : -

Beam Angle : 15/24/36/55°

Type	List Price
CCT & Dim RF	2150/-
CCT & Dim RF+BLE V5	2300/-
Single Color	1350/-

Core



Watt : 12w Movable Spotlight

Dimension : 54 X 70 X 94 mm


Cut Out : 52 mm

OD : 60mm

Beam Angle : 24/36°

Type	List Price
CCT & Dim RF	1950/-
CCT & Dim RF+BLE V5	2100/-
Single Color	1250/-
Single Color Triac Dim	1700/-
CCT & Dim Triac	2600/-
Single Color Dim (DT6 Euchips/Lifud)	2850/-
CCT & Dim (DT8 Euchips/Lifud)	3550/-

Core



Watt : 12w Surface Movable Spotlight

Dimension : 54 X 70 X 95 mm

OD : 63mm

Beam Angle : 24/36°

Type	List Price
CCT & Dim RF	2050/-
CCT & Dim RF+BLE V5	2200/-
Single Color	1250/-

Glint



Watt : 12w Movable Surface Spotlight

Dimension : 50 X 170 mm

Cut Out : -

Beam Angle : 38°

Type	List Price
Single Color	2050/-

Glide



Watt : 3/5w Slim Surface Spotlight

Dimension : 60 X 16 mm

Cut Out : -

Beam Angle : 110°

Type	List Price
Single Color	390/-

Wonder



Watt : 12w ZoomLight

Dimension : 113 X 92 mm

Cut Out : 100 mm

Beam Angle : 38°

Type	List Price
CCT & Dim RF	2350/-
CCT & Dim RF+BLE V5	2500/-
Single Color	1700/-
Single Color Triac Dim	2100/-
CCT & Dim Triac	2950/-
Single Color Dim (DT6 Euchips/Lifud)	3250/-
CCT & Dim (DT8 Euchips/Lifud)	3900/-

Wonder



Watt : 20/30w Zoom Light

Dimension : 138 X 120 mm

Cut Out : 125 mm

Beam Angle : 38°

Type	List Price
CCT & Dim RF	3500/- 3700/-
CCT & Dim RF+BLE V5	3700/- 3900/-
Single Color	2500/- 2750/-
Single Color Triac Dim	3250/- 3700/-
CCT & Dim Triac	4500/- 4650/-
Single Color Dim (DT6 Euchips/Lifud)	4550/- 4700/-
CCT & Dim (DT8 Euchips/Lifud)	5050/- 5250/-

Wonder



Watt : 36w Zoom Light

Dimension : 165 X 160 mm

Cut Out : 150 mm

Beam Angle : 38°

Type	List Price
CCT & Dim RF	4800/-
CCT & Dim RF+BLE V5	5400/-
Single Color	3450/-

Polo



Watt : 7w Round Spotlight

Dimension : 86 X 32 mm

Cut Out : 75 mm

Beam Angle : 45°

Type	List Price
CCT & Dim RF	1600/-
CCT & Dim RF+BLE V5	1750/-
Single Color	950/-
Single Color Triac Dim	1350/-
CCT & Dim Triac	2200/-
Single Color Dim (DT6 Euchips/Lifud)	2500/-
CCT & Dim (DT8 Euchips/Lifud)	3100/-

Polo



Watt : 12w Round Spotlight

Dimension : 115 X 42 mm

Cut Out : 100 mm

Beam Angle : 45°

Type	List Price
CCT & Dim RF	1850/-
CCT & Dim RF+BLE V5	2000/-
Single Color	1200/-
Single Color Triac Dim	1650/-
CCT & Dim Triac	2500/-
Single Color Dim (DT6 Euchips/Lifud)	2750/-
CCT & Dim (DT8 Euchips/Lifud)	3400/-

Polo



Watt : 20w Round Spotlight

Dimension : 142 X 50 mm

Cut Out : 130 mm

Beam Angle : 45°

Type	List Price
CCT & Dim RF	2700/-
CCT & Dim RF+BLE V5	2850/-
Single Color	1700/-
Single Color Triac Dim	2450/-
CCT & Dim Triac	3650/-
Single Color Dim (DT6 Euchips/Lifud)	3650/-
CCT & Dim (DT8 Euchips/Lifud)	4200/-

Polo



Watt : 30w Round Spotlight

Dimension : 168 X 60 mm

Cut Out : 155 mm

Beam Angle : 45°

Type	List Price
CCT & Dim RF	3150/-
CCT & Dim RF+BLE V5	3400/-
Single Color	2200/-
Single Color Triac Dim	3200/-
CCT & Dim Triac	4150/-
Single Color Dim (DT6 Euchips/Lifud)	4050/-
CCT & Dim (DT8 Euchips/Lifud)	4650/-

Polo



Watt : 36w Round Spotlight

Dimension : 227 X 70 mm

Cut Out : 200 mm

Beam Angle : 45°

Type	List Price
CCT & Dim RF	4100/-
CCT & Dim RF+BLE V5	4650/-
Single Color	2800/-

Loop



Watt : 4w Rectangle Laserblade

Dimension : 52 X 32 X 40 mm

Cut Out : 46 X 26 mm

Beam Angle : 30°

Type	List Price
CCT & Dim RF+BLE V5	1550/-
Single Color	600/-

Loop



Watt : 6w Rectangle Laserblade


Dimension : 62 X 32 X 40 mm

Cut Out : 56 X 26 mm

Beam Angle : 30°

Type	List Price
CCT & Dim RF	1450/-
CCT & Dim RF+BLE V5	1600/-
Single Color	700/-
Single Color Triac Dim	1150/-
CCT & Dim Triac	2100/-
Single Color Dim (DT6 Euchips/Lifud)	2250/-
CCT & Dim (DT8 Euchips/Lifud)	3000/-

Loop



Watt : 8w Square Laserblade


Dimension : 52 X 52 X 40 mm

Cut Out : 46 X 46 mm

Beam Angle : 30°

Type	List Price
CCT & Dim RF	1550/-
CCT & Dim RF+BLE V5	1700/-
Single Color	750/-
Single Color Triac Dim	1200/-
CCT & Dim Triac	2200/-
Single Color Dim (DT6 Euchips/Lifud)	2350/-
CCT & Dim (DT8 Euchips/Lifud)	3100/-

Loop



Watt : 10w Rectangle Laserblade

Dimension : 108 X 32 X 40 mm

Cut Out : 102 X 26 mm

Beam Angle : 30°

Type	List Price
CCT & Dim RF	1800/-
CCT & Dim RF+BLE V5	1950/-
Single Color	900/-
Single Color Triac Dim	1300/-
CCT & Dim Triac	2400/-
Single Color Dim (DT6 Euchips/Lifud)	2450/-
CCT & Dim (DT8 Euchips/Lifud)	3350/-

Loop



Watt : 15w Square Laserblade

Dimension : 71 X 71 X 40 mm

Cut Out : 65 X 65 mm

Beam Angle : 30°

Type	List Price
CCT & Dim RF	2100/-
CCT & Dim RF+BLE V5	2250/-
Single Color	1100/-

Loop



Watt : 20w Rectangle Laserblade


Dimension : 204 X 32 X 40 mm

Cut Out : 198 X 26 mm

Beam Angle : 30°

Type	List Price
CCT & Dim RF	2900/-
CCT & Dim RF+BLE V5	3050/-
Single Color	1400/-
Single Color Triac Dim	2150/-
CCT & Dim Triac	3900/-
Single Color Dim (DT6 Euchips/Lifud)	3400/-
CCT & Dim (DT8 Euchips/Lifud)	4450/-

Streak



Watt : 4w Square Laserblade

Dimension : 52 X 52 X 56 mm

Cut Out : 42 X 42 mm

Beam Angle : 38°

Type	List Price
CCT & Dim RF+BLE V5	1650/-
Single Color	750/-

Streak



Watt : 12w Rectangle Laserblade

Dimension : 128 X 52 X 56 mm

Cut Out : 120 X 42 mm

Beam Angle : 38°

Type	List Price
CCT & Dim RF	2250/-
CCT & Dim RF+BLE V5	2400/-
Single Color	1250/-
Single Color Triac Dim	1650/-
CCT & Dim Triac	2850/-
Single Color Dim (DT6 Euchips/Lifud)	2800/-
CCT & Dim (DT8 Euchips/Lifud)	3800/-

Streak



Watt : 16w Square Laserblade

Dimension : 90 X 90 X 56 mm

Cut Out : 80 X 80 mm

Beam Angle : 30°

Type	List Price
CCT & Dim RF	2950/-
CCT & Dim RF+BLE V5	3100/-
Single Color	1450/-
Single Color Triac Dim	2150/-
CCT & Dim Triac	3900/-
Single Color Dim (DT6 Euchips/Lifud)	3450/-
CCT & Dim (DT8 Euchips/Lifud)	4500/-

Streak



Watt : 20w Rectangle Laserblade

Dimension : 205 X 52 X 56 mm

Cut Out : 195 X 42 mm

Beam Angle : 38°

Type	List Price
CCT & Dim RF	3300/-
CCT & Dim RF+BLE V5	3450/-
Single Color	1700/-
Single Color Triac Dim	2400/-
CCT & Dim Triac	4250/-
Single Color Dim (DT6 Euchips/Lifud)	3700/-
CCT & Dim (DT8 Euchips/Lifud)	4850/-

Force



Watt : 12w Track Light

Dimension : 146 X 60 X 140 mm

Cut Out : -

Beam Angle : 24/38°

Type	List Price
CCT & Dim RF	1950/-
CCT & Dim RF+BLE V5	2100/-
Single Color	1250/-
Single Color Triac Dim	1750/-
CCT & Dim Triac	2600/-
Single Color Dim (DT6 Euchips/Lifud)	2850/-
CCT & Dim (DT8 Euchips/Lifud)	3500/-

Force



Watt : 20/30w Track Light

Dimension : 146 X 80 X 160 mm

Cut Out :-

Beam Angle : 24/38°

Type	List Price
CCT & Dim RF	2750/- 2900/-
CCT & Dim RF+BLE V5	2950/- 3200/-
Single Color	1700/- 1900/-
Single Color Triac Dim	2500/- 3000/-
CCT & Dim Triac	3700/- 3900/-
Single Color Dim (DT6 Euchips/Lifud)	3700/- 3750/-
CCT & Dim (DT8 Euchips/Lifud)	4250/- 4400/-

Charge



Watt : 12w Tracklight

Dimension : 120 X 130 X 50 mm

Cut Out :-

Beam Angle : 15/24/36/55°

Type	List Price
CCT & Dim RF	2200/-
Single Color	1400/-

Charge



Watt : 20w Track Light

Dimension : 136 X 157 X 65 mm

Cut Out :-

Beam Angle : 24/36/55°

Type	List Price
CCT & Dim RF	2350/-
Single Color	1900/-

Charge



Watt : 30w Track Light

Dimension : 158 X 184 X 76 mm

Cut Out : -

Beam Angle : 24/36/55°

Type	List Price
CCT & Dim RF	2900/-
Single Color	2500/-

Flare



Available from 15th OCT

Watt : 20-25w Track Light

Dimension : 75 X 125 X 170 mm

Cut Out : -

Beam Angle : 60°

Type	List Price
CCT & Dim RF	2900/- 3100/-
CCT & Dim RF+BLE V5	3150/- 3350/-
Single Color	1900/- 2000/-
Single Color Triac Dim	2700/- 2850/-
CCT & Dim Triac	3900/- 4100/-
Single Color Dim (DT6 Euchips/Lifud)	3900/- 4100/-
CCT & Dim (DT8 Euchips/Lifud)	4450/- 4700/-

Flare



Available from 15th OCT

Watt : 30-36w Track Light

Dimension : 105X 145 X 230 mm

Cut Out : -

Beam Angle : 38/60°

Type	List Price
CCT & Dim RF	3450/- 3700/-
CCT & Dim RF+BLE V5	3750/- 4000/-
Single Color	2500/- 2700/-
Single Color Triac Dim	3350/-
CCT & Dim Triac	4450/-
Single Color Dim (DT6 Euchips/Lifud)	4350/-
CCT & Dim (DT8 Euchips/Lifud)	5000/-

Track Channel



1 Meter : 1000 X 35 X 18 mm

1.5 Meter : 1500 X 35 X 18 mm

2 Meter : 2000 X 35 X 18 mm

Type	List Price
1 Meter : 1000 X 35 X 18 mm	550/-
1.5 Meter : 1500 X 35 X 18 mm	820/-
2 Meter : 2000 X 35 X 18 mm	1100/-

Compass



Watt : 3w Round Spotlight

Dimension : 40 X 44 mm

Cut Out : 32 mm

Beam Angle : 15/24°

Type	List Price
CCT & Dim RF+BLE V5	1450/-
Single Color	530/-

Boat



Watt : 3w Round Spotlight


Dimension : 40 X 30 mm

Cut Out : 32 mm

Beam Angle : 15/24°

Type	List Price
CCT & Dim RF+BLE V5	1450/-
Single Color	530/-

Pearl



Watt : 3w Round Spotlight


Dimension : 50 X 35 mm

Cut Out : 44 mm

Beam Angle : 15/24°

Type	List Price
CCT & Dim RF+BLE V5	1550/-
Single Color	650/-

Cruise



Watt : 3w Round Spotlight

Dimension : 40 X 35 mm

Cut Out : 32 mm

Beam Angle : 15/24°

Type	List Price
CCT & Dim RF+BLE V5	1450/-
Single Color	530/-

Duke



Watt : 3w Round Spotlight


Dimension : 40 X 29 mm

Cut Out : 32 mm

Beam Angle : 15/24°

Type	List Price
CCT & Dim RF+BLE V5	1450/-
Single Color	530/-

Blast



Watt : 3w Round Spotlight
Dimension : 40 X 26 mm
Cut Out : 32 mm
Beam Angle : 15/24°

Type	List Price
CCT & Dim RF+BLE V5	1450/-
Single Color	530/-

Atom



Watt : 5w Round Spotlight
Dimension : 50 X 45 mm
Cut Out : 43 mm
Beam Angle : 40°

Type	List Price
CCT Adj & Dim RF	1450/-
CCT & Dim RF+BLE V5	1550/-
Single Color	720/-


Sense



Watt : 3w Round Spotlight
Dimension : 46 X 60 mm
Cut Out : 43 mm
Beam Angle : 25°

Type	List Price
CCT & Dim RF+BLE V5	1450/-
Single Color	550/-

Zest



Watt : 3w Round Spotlight
Dimension : 40 X 32 mm
Cut Out : 33 mm
Beam Angle : 30°

Type	List Price
CCT & Dim RF+BLE V5	1550/-
Single Color	650/-

Hammer



Watt : 3w Round Spotlight
Dimension : 36 X 45 mm
Cut Out : 30 mm
Beam Angle : 25°

Type	List Price
CCT & Dim RF+BLE V5	1450/-
Single Color	580/-


Strike



Watt : 3w Round Spotlight
Dimension : 40 X 36 mm
Cut Out : 36 mm
Beam Angle : 25°

Type	List Price
CCT & Dim RF+BLE V5	1550/-
Single Color	700/-

Brio



Watt : 3w Round Footlight
Dimension : 45 X 24 mm
Cut Out : 35 mm
Beam Angle : 120°

Type	List Price
Single Color	650/-


Edge



Watt : 3w Round Footlight
Dimension : 45 X 24 mm
Cut Out : 35 mm
Beam Angle : 180°

Type	List Price
Single Color	650/-


Gusto



Watt : 3w Round Footlight
Dimension : 45 X 24 mm
Cut Out : 35 mm
Beam Angle : -

Type	List Price
Single Color	650/-

Dash



Watt : 3w Round Footlight

Dimension : 45 X 24 mm

Cut Out : 35mm

Beam Angle : -

Type	List Price
Single Color	650/-

NEW
ARRIVAL

Beat Single Color



12V

Type : 2835

Beam Angle : 120°

Type	List Price
60LED 8mm 6w/mtr.	110/-
120LED 5mm 12w/mtr.	130/-
120LED 8mm 12w/mtr.	130/-
180LED 5mm 18w/mtr.	210/-
180LED 10mm 18w/mtr.	260/-
240LED 10mm 24w/mtr.	290/-

NEW
ARRIVAL

Beat Single Color



24V

Type : 2835

Beam Angle : 120°

Type	List Price
60LED 8mm 6w/mtr.	110/-
120LED 5mm 12w/mtr.	130/-
120LED 8mm 12w/mtr.	130/-
180LED 5mm 18w/mtr.	210/-
180LED 10mm 18w/mtr.	260/-
240LED 10mm 24w/mtr.	290/-

NEW
ARRIVAL

Beat CCT



12V

Type : 2835

Beam Angle : 120°

Type	List Price
180LED 10mm 18w/mtr.	260/-
216LED 10mm 21.6w/mtr.	290/-

NEW
ARRIVAL

Beat CCT



24V

Type : 2835

Beam Angle : 120°

Type	List Price
192LED 10mm 19.2w/mtr.	280/-
216LED 10mm 21.6w/mtr.	290/-
240LED 10mm 24w/mtr.	290/-

NEW
ARRIVAL

Wall Grazer



Watt : 16W Wall Grazer

IP : IP20

Size : 12mm (48LED)

Voltage : 24V

CCT : 3000/4000k

Beam Angle : 30°

Type	List Price
Single Color	850/-

NEW
ARRIVAL

Wall Grazer



Watt : 2X14.4W

IP : IP20

Size : 12mm (56LED)

Voltage : 24V

CCT : 3000-6500K

Beam Angle : 30°

Type	List Price
CCT	900/-

NEW
ARRIVAL

Wide Beam Strip



Watt : 24W

Size : 12mm (24LED)

Voltage : 24V

Beam Angle : 165°

Type	List Price
CCT	800/-

NEW
ARRIVAL

Sky Line



Belt Width : 20mm

IP : IP20

Applicable Width : <10mm

Size : 8mm

Beam Angle : 360° Angle Adjustable

Type	List Price
Sky Line	7500/-

NEW
ARRIVAL

Silicon Flex

Inbuilt Strip Silicon Flex



Voltage : 24V
Watt : 7.5w
CCT : 3000K

Type	List Price
1010	260/-
1212	310/-
1510	370/-
408	285/-
1616	445/-

NEW
ARRIVAL

Silicon Flex

Blank Silicon Flex



Voltage : 24V

Type	List Price
2014	180/-
808	60/-
1616	170/-
1510	110/-
1510 (Black)	150/-

NEW
ARRIVAL

Clamp



Model : Side Clamp

Type	List Price
1010	10/-
1212	10/-
1510	10/-
408	10/-
1616	

NEW
ARRIVAL

End Cap



Model : Side Clip

Type	List Price
1010	10/-
1212	10/-
1510	15/-
408	10/-
1616	15/-

12V Pencil SMPs

2Years Warranty



Constant Voltage : 12V
Model : 2Amp/5Amp
Dimension : 190 X 18 X 16 mm
Dimension : 315 X 18 X 16 mm

Type	List Price
24w 2Amp (Size : 190 X 18 X 16 mm)	500/-
60w 5Amp (Size : 315 X 18 X 16 mm)	780/-

12V SMPs

2Years Warranty



Constant Voltage : 12V
Model : 5/8.5/10/12.5/16.7Amp

Type	List Price
60w 5Amp (Size : 150 X 53 X 22 mm)	510/-
100w 8.5Amp (Size : 195 X 53 X 22 mm)	670/-
120w 10Amp (Size : 225 X 53 X 22 mm)	700/-
150w 12.5Amp (Size : 250 X 53 X 22 mm)	860/-
200w 16.5Amp (Size : 282X 53 X 22 mm)	1020/-

24V SMPs

2Years Warranty




Constant Voltage : 24V
Model : 2.5/4.1/5Amp

Type	List Price
60w 2.5Amp (Size : 150 X 53 X 22 mm)	510/-
100w 4.1Amp (Size : 145 X 49 X 29 mm)	670/-
120w 5Amp (Size : 226 X 53 X 22 mm)	700/-

NEW
ARRIVAL

Slim SMPS

3Years Warranty




Available from 15th OCT
Constant Voltage : 12V
Model : 3/5/8.3/16.5 Amp

Type	List Price
36w 3Amp (161 X 26 X 21 mm)	850/-
60w 5Amp (183 X 26 X 21 mm)	950/-
100w 8.3Amp (220 X 26 X 21 mm)	1400/-
200w 16.5Amp (274 X 26 X 21 mm)	1820/-

NEW
ARRIVAL

Slim SMPS

3Year Warranty



Constant Voltage : 24V
Model : 1.5/2.5/4.2/8.4 Amp

Type	List Price
36w 1.5Amp (161 X 26 X 21 mm)	850/-
60w 2.5Amp (183 X 26 X 21 mm)	950/-
100w 4.2Amp (220 X 26 X 21 mm)	1400/-
200w 8.4Amp (274 X 26 X 21 mm)	1800/-

Strip Controller



Current : 10/20Amp

Model : LMSC-120-12-10/LMSC-240-12-20

Dimension : 100 X 39 X 25 mm

Voltage : 12/24V

Type	List Price
10Amp CCT Adj & Dim RF	1050/-
10Amp CCT Adj & Dim RF+ BLE	1100/-
20Amp CCT Adj & Dim RF	1220/-
20Amp CCT Adj & Dim RF + BLE	1500/-

On-Off Controller



Watt : 400Watt

Model : LMSC-400-5-240

Dimension : 100 X 39 X 25 mm

Type	List Price
400W On Off Controller RF	940/-
400W On Off Controller RF + BLE	1000/-

Power Supply



Model : 24V Dali Power Supply

Voltage : 24V

Type	List Price
75 Watt (Lifud/EU Chip Dt6)	4500/-
150 Watt (Lifud/EU Chip Dt6)	6200/-
75 Watt (Lifud/EU Chip Dt8)	4700/-
150 Watt (Lifud/EU ChipDt8)	6400/-

NEW
ARRIVAL

Day Light Motion Sensor



Type	List Price
Motion Sensor	950/-

NEW
ARRIVAL

Human Being Motion Sensor



Type	List Price
True Presence Sensor	1300/-

NEW
ARRIVAL

Illumination Sensor



Type	List Price
Illumination Sensor	900/-

Remote Controller



Type	List Price
Multifunctional Remote Controller	700/-

Scene Switch Controller



Type	List Price
Scene Mode Remote Controller	2200/-

NEW
ARRIVAL

Button Remote



Type	List Price
Button Remote	450/-

NEW
ARRIVAL

Gateway BLE



Type	List Price
BLE Gateway	3200/-

Term & Condition

** All Dimension and cut out data for reference only.

Please refer original product for cut out

** Prices are subject to change without prior notice

** By Default LED Chip Bridgelux

** GST Extra as applicable

** 3500k and 5000k available on special request

**All image used are for illustrative purposes only

and

is not intended to reflect actual product performance

**80/90CRI (available on request)



LTECH

CREE

bridgelux
Bridging Light and Life™

PHILIPS

LIFUD

FULHAM

Add for Drivers & LED in Price List

CC Driver (Single Color)

PHILIPS	12w :- 90/- 15w :- 190/-	18w :- 200/-	20w :- 360/-	30w :- 325/-
FULHAM	7w :- 140/-	12w :- 100/- 15w :- 40/-	20w-25w :- 580/-	30w :- 380/- 36w :- 450/-

Dali Dimmable Dt6 (CCT & Dim DT6)

L Tech	7w :- 1200/-	12w :- 1200/-	15w :- 1200/-	30w :- 1200/-
--------	--------------	---------------	---------------	---------------

Dali Tunable & Dimmable Dt8 (CCT & Dim DT8)

L Tech	7w :- 1200/-	12w :- 1200/-	15w :- 1200/-	20-30w :- 1200/-
--------	--------------	---------------	---------------	------------------

Analog 0-10 (Single Color)

EUChips/Lifud	7-12w :- 1350/-	15w :- 1550/-	20w :- 1550/-	25-30w :- 1350/-
---------------	-----------------	---------------	---------------	------------------

COB LED (Single Color)

CREE LED	5w-7w :- 25/-	10w-12w :- 55/-	15w-20w :- 175/-	20-30w :- 200/-
----------	---------------	-----------------	------------------	-----------------

Less For 3 Color On Switch Downlight in Price List

3 Color Driver (CCT & Dim RF)

3C Driver	5w-7w :- 25/-	10w-12w :- 55/-	15w-20w :- 175/-	20-30w :- 200/-
-----------	---------------	-----------------	------------------	-----------------